


V60® PARTITION SYSTEMS OFFER EXECUTIVE, SEMI EXECUTIVE OR MANAGEMENT WORKSPACES THAT PROVIDE PRIVACY. WITH THESE SYSTEMS, PEDESTALS AND ACCESSORIES FROM OTHER PRODUCT LINES CAN BE ADAPTED TO YOUR NEEDS AND LIKING.

V60® PRODUCTS COME WITH SMART CABLE MANAGEMENT SYSTEMS SO THAT WORKSPACES ARE KEPT NEAT AND CLEAN.



EXECUTIVE PRIVATE OFFICE DESKS











V60 $^{\odot}$ L-Shaped systems are workstations that allow for endless configuration possibilities to fit the needs of each particular space.

BUILD FROM A 4-PERSON CROSS-PARTITION WORKSTATION UP TO ONE FOR AS MANY USERS YOU WANT.

IT IS THE BEST WAY TO CREATE EFFICIENT WORK AREAS IN A MINIMUM OF SPACE.









MODULAR L-SHAPED WORKSTATIONS











THE Y-SHAPED WORKSTATION IS DESIGNED TO FIT IN ALL TYPES OF OFFICE SPACES. IT IS IDEAL FOR PRIVATE, SEMI PRIVATE OR OPEN OFFICES.


V60[®] IS A COMBINATION OF PRACTICALITY AND COMFORT THAT ALLOW FOR INDIVIDUAL OR TEAM WORK SETUPS.







MODULAR Y-SHAPED WORKSTATIONS







ISLAND SYSTEMS ARE MOST SUITABLE FOR LARGE WORK TEAMS, OPTIMIZING SPACE. THEY ARE DESIGNED FOR USERS TO WORK FREELY WITHOUT GIVING UP PERSONAL SPACE AND ARE FLEXIBLE ENOUGH TO ALLOW FOR GROUP COLLABORATION TASKS.

INTERIOR CABLE CONCEALMENT BETWEEN WORK AREAS GUARANTEES NEAT AND CLEAN SPACES.














V60® INDIVIDUAL WORKSTATIONS ARE PERFECT FOR CUSTOMER SERVICE UNITS OR TELEMARKETING CUBICLES. PARTITION PANELS PROVIDE PRIVACY AND GUARANTEE CONCENTRATION.

OUR ACOUSTIPANEL SYSTEM FOR CALL CENTERS IS DESIGNED WITH ACOUSTICS, PRIVACY AND COMFORT IN MIND.



















V60® ALSO OFFERS RECEPTION DESK SYSTEMS IN A VARIETY OF CONFIGURATIONS THAT EASILY ADAPT TO ALL KINDS OF OFFICE AREAS AND SPACES.










PARTITION PANELS WITH BASE COVER AND INTEGRATED DUCT. AVAILABLE CONFIGURATIONS:


SCREEN MATERIALS:

- · MELAMINE
- · FABRIC
- POLYCARBONATE
- · METAL
- · GLASS CLEAR OR FROSTED
- · ACOUSTIPANEL


*ASK YOUR VERSA CONSULTANT ABOUT THE IDEAL CONFIGURATION FOR YOUR SPACE.











PREFABRICATED COMPONENTS FOR VOICE, DATA AND POWER INSTALLATIONS.

YOU MAY SELECT OFFICE PARTITIONS BASED ON THE FOLLOWING GROUPS:

MATERIAL OPTIONS FOR BOTTOM PANEL

MATERIAL OPTIONS FOR UPPER PANEL(S)

GROUP 1

GROUP 2

GROUP 3

A) FABRIC

OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.

B) MELAMINE

IN WHITE, LIGHT GRAY OR BLACK FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES A) FABRIC. OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.

B) MELAMINE. IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES.

C) NATURAL POLYCARBONATE WINDOW (4MM THICKNESS)

D) CLEAR GLASS WINDOW (4MM THICKNESS)

A) FABRIC

OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.

B) MELAMINE

IN WHITE, LIGHT GRAY OR BLACK.

C) PERFORATED METAL

(22-GAUGE) GRAY, BLACK OR WHITE.

A) FABRIC. OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.

B) MELAMINE. IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE

VERSA LINE, A 5% INCREASE APPLIES.

C) NATURAL POLYCARBONATE WINDOW (4MM THICKNESS)

D) CLEAR GLASS WINDOW (4MM THICKNESS)

A) FABRIC OPTIONS: MEMPHIS, JAZZ, QUATTRO OR UNIVERSA.

R) MFI AMINE

IN WHITE, LIGHT GRAY OR BLACK.

C) PERFORATED METAL

(22-GAUGE) GRAY, BLACK OR WHITE.

A) FABRIC. OPTIONS: MEMPHIS. JAZZ. QUATTRO OR UNIVERSA.

B) MELAMINE. IN WHITE, LIGHT GRAY OR BLACK. FOR ANY OTHER COLOR FROM THE VERSA LINE, A 5% INCREASE APPLIES.

C) NATURAL POLYCARBONATE WINDOW (4MM THICKNESS)

D) CLEAR GLASS WINDOW (4MM THICKNESS)


E) FROSTED GLASS WINDOW (4MM THICKNESS)

F) PERFORATED METAL (22-GAUGE) GRAY, BLACK OR WHITE.

G) ACOUSTIC PANEL (COLORS: NIGHT BLUE, SILVER GRAY, SOFT ORANGE, GOLD YELLOW AND LEMON GREEN)

OFFICE PARTITIONS WITH 40, 60 OR 70 CM WIDTHS.

- 1 VERTICAL CABLE DUCT IN LOWER PANEL FOR CONNECTION OF BASE TRIM WITH INTERMEDIATE CABLE DUCT.
- 1 PRE-PERFORATION ON EACH SIDE OF PANEL AT BASE TRIM AND INTERMEDIATE CABLE DUCT.
- 1 HORIZONTAL OVAL PERFORATION AT THE CENTER OF BOTTOM PROFILE FOR CABLE ENTRY FROM THE FLOOR.
- · 2 VERTICAL OVAL PERFORATIONS ON EACH SIDE OF PANEL AT TRIM AND CABLE DUCT LEVEL.
- · 2 PLASTIC CABLE ORGANIZERS ON BASE TRIM AND 2 ON INTERMEDIATE CABLE DUCT.



PANEL DECORATIVE PLASTICS ARE AVAILABLE IN GRAY OR BLACK.

PANEL LEVELER GLIDES AND POSTS AVAILABLE ONLY IN BLACK.

> PANEL ALUMINUM FRAMES WITH CLEAR ANODIZED FINISH.

FOR SPECIAL COLOR REQUESTS OF METAL, PAINTED GLASS WINDOW, FABRIC OR HPDL PANELS PLEASE ASK FOR QUOTE AND PRODUCT STOCK.

OFFICE PARTITIONS WITH 80, 90 OR 100 CM WIDTHS.

- · 1 VERTICAL CABLE DUCT IN LOWER PANEL FOR CONNECTION OF BASE TRIM WITH INTERMEDIATE CABLE DUCT.
- · 2 PRE-PERFORATIONS ON EACH SIDE OF PANEL AT BASE TRIM AND INTERMEDIATECABLE DUICT.
- · 2 HORIZONTAL OVAL PERFORATIONS AT THE CENTER OF BOTTOM PROFILE FOR CABLE ENTRY FROM THE FLOOR.
- · 2 VERTICAL OVAL PERFORATIONS ON EACH SIDE OF PANEL, AT TRIM AND CABLE DUCT LEVEL.
- 2 PLASTIC CABLE ORGANIZERS ON BASE TRIM AND 2 ON INTERMEDIATE CABLE DUCT.











V60 IN DETAIL.











01 PANELS IN DIFFERENT MATERIALS 02 LARGE CAPACITY FOR CABLE/WIRE CONCEALMENT WITH FLIP-TOP LID ON BOTH SIDES 03 ANODIZED ALUMINUM FRAMES 04 ALUMINUM HANGING SHELF 05 PANEL WITH BASE COVER AND INTEGRATED CABLE DUCT 06 DOOR FOR PRIVATE OFFICES 07 ACCESSORY HOLDING METAL RAIL 08 PLASTIC ACCESSORIES 09 HANGING METAL CABINET (OVERHEAD BIN) 10 POWER & DATA BOX 11 MONITOR ARM FOR WALL AND/OR SURFACE MOUNT 12 ORIGINAL VERSA CONCEPTO PLASTIC DESK GROMMET

MODULAR OFFICE PARTITION SYSTEM OFFERS PANELS BASED ON PREDETERMINED / STANDARDIZED WIDTH AND HEIGHT DIMENSIONS THAT CAN SUPPORT WORK SURFACES USING HARDWARE FITTINGS.

OFFICE PARTITION CONFIGURATIONS CAN BE FORMED USING PANELS OF DIFFERENT MATERIALS: FABRIC, POLYCARBONATE, CLEAR OR FROSTED GLASS, METAL, MELAMINE OR ACOUSTIPANEL.

ALLOWS FOR CABLING THROUGH A BASE TRIM AND AN INTERMEDIATE CABLE DUCT.

LARGE SIZE HARDWARE FITTINGS ARE MADE OF 14-GAUGE SHEET METAL IN GRAY POWDER-COATING FINISH

SMALL SIZE HARDWARE FITTINGS ARE MADE OF 16-GAUGE SHEET METAL IN GRAY POWDER- COATING FINISH.

90° POST MADE OF ALUMINUM EXTRUSION PROFILE WITH A 60X60MM 16-GAUGE ANODIZED FINISH. FOR 1-WAY TO 4-WAY CONNECTIONS.

120° POST MADE OF ALUMINUM EXTRUSION PROFILE WITH A 40X40MM 16-GAUGE ANODIZED FINISH. FOR 1-WAY TO 3-WAY CONNECTIONS.

SURFACES.

TRANSACTION SURFACE

| 28MM PVC WITH 2MM EUGE | | |
|------------------------|-------|--|
| V6-100 | 40X30 | |
| V6-110 | 60X30 | |
| V6-120 | 70X30 | |
| V6-130 | 80X30 | |
| V6-140 | 90X30 | |
| | | |


| V6-150 | 100X30 |
|--------|--------|
| V6-160 | 120X30 |
| V6-170 | 150X30 |
| V6-180 | 180X30 |
| V6-190 | 200X30 |

MODULAR SURFACE 28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

| RIGHT | LEFT | |
|--------------------|--------------------|------------------------|
| V6-600D V6-610D | V6-600I V6-610I | 120X60/70 150X60/70 |
| | | |

WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED



| υL | DI IOIVIIVIL I IIVOLODI | _U |
|----|--|--|
| | V6-260 V6-270 V6-280 V6-290 V6-300 | 120X60 150X60 180X60 200X60 150X80 |
| П | V6-310 | 180X80 |
| | V6-320 | 200X80 |

CORNER SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

| V6-620 | 90/90X60 |
|--------|----------|
| V6-630 | 80/80X60 |



| ZOIVIIVIT VO VVITIT | ZIVIIVI LDUL / TIUUND UTIU |
|---------------------|----------------------------|
| V6-420 | 80/80X60 |
| V6-410 | 90/90X60 |
| V6-400 | 120/120X60 |

ERGONOMIC L-SHAPED WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

| RIGHT | LEFT | |
|---------|---------|-----------|
| V6-640D | V6-640I | 120/90X60 |
| V6-650D | V6-650I | 150/90X60 |
| V6-660D | V6-660I | 160/90X60 |
| V6-670D | V6-670I | 180/90X60 |
| V6-680D | V6-680I | 200/90X60 |
| | | |



CONNECTING SURFACE

ERGONOMIC L-SHAPED WORK SURFACE

28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

| V6-690 120/120X | 60 |
|------------------------|----|
|------------------------|----|



SIDE SURFACE

| V6-510 | 126X35/50 |
|--------|-----------|

| DERECHO | IZQUIERDI |
|---------|-----------|
| V6-700D | V6-700I |

| V6-700D | V6-700I | 150/120X60 |
|---------|---------|------------|
| V6-705D | V6-705I | 160/120X60 |
| V6-710D | V6-710I | 180/120X60 |
| V6-720D | V6-720I | 200/120X60 |



ERGONOMIC L-SHAPED DESK SURFACE 28MM PVC WITH 2MM EDGE / ROUND GROMMET INCLUDED

DEDECUN IZNIJEDIN

| DEKECHU | IZUUIEKUU | |
|---------|-----------|------------|
| V6-730D | V6-730I | 150/120X60 |
| V6-740D | V6-740I | 180/120X60 |
| V6-750D | V6-750I | 200/120X60 |



SEMI-CIRCLE SURFACE

| VC-512 | 126,460 |
|---------|---------|
| 71 C-0A | IZbXbU |



DROP-SHAPE CONNECTING SURFACE

28MM PVC WITH 2MM EDGE



DROP-SHAPE WORK SURFACE

| 120X70 | | |
|--------|--|--|
| 150X70 | | |
| 180X70 | | |
| 200X80 | | |
| | | |

V60 PANELS. WIDTH X HEIGHT - MEASUREMENTS IN CM

| GROUP 1 | GROUP 2 | GROUP 3 | |
|----------|----------|----------|---------------|
| V6-114X | V6-114Y | V6-114Z | 40X110 PANEL |
| V6-116X | V6-116Y | V6-116Z | 60X110 PANEL |
| V6-117X | V6-117Y | V6-117Z | 70X110 PANEL |
| V6-118X | V6-118Y | V6-118Z | 80X110 PANEL |
| V6-119X | V6-119Y | V6-119Z | 90X110 PANEL |
| V6-1110X | V6-1110Y | V6-1110Z | 100X110 PANEL |
| V6-1112X | V6-1112Y | V6-1112Z | 120X110 PANEL |
| V6-134X | V6-134Y | V6-134Z | 40X130 PANEL |
| V6-136X | V6-136Y | V6-136Z | 60X130 PANEL |
| V6-137X | V6-137Y | V6-137Z | 70X130 PANEL |
| V6-138X | V6-138Y | V6-138Z | 80X130 PANEL |
| V6-139X | V6-139Y | V6-139Z | 90X130 PANEL |
| V6-1310X | V6-1310Y | V6-1310Z | 100X130 PANEL |
| V6-1312X | V6-1312Y | V6-1312Z | 120X130 PANEL |
| V6-154X | V6-154Y | V6-154Z | 40X150 PANEL |
| V6-156X | V6-156Y | V6-156Z | 60X150 PANEL |
| V6-157X | V6-157Y | V6-157Z | 70X150 PANEL |
| V6-158X | V6-158Y | V6-158Z | 80X150 PANEL |
| V6-159X | V6-159Y | V6-159Z | 90X150 PANEL |
| V6-1510X | V6-1510Y | V6-1510Z | 100X150 PANEL |
| V6-1512X | V6-1512Y | V6-1512Z | 120X150 PANEL |
| V6-174X | V6-174Y | V6-174Z | 40X170 PANEL |
| V6-176X | V6-176Y | V6-176Z | 60X170 PANEL |
| V6-177X | V6-177Y | V6-177Z | 70X170 PANEL |
| V6-178X | V6-178Y | V6-178Z | 80X170 PANEL |
| V6-179X | V6-179Y | V6-179Z | 90X170 PANEL |
| V6-1710X | V6-1710Y | V6-1710Z | 100X170 PANEL |
| V6-1712X | V6-1712Y | V6-1712Z | 120X170 PANEL |
| V6-194X | V6-194Y | V6-194Z | 40X190 PANEL |
| V6-196X | V6-196Y | V6-196Z | 60X190 PANEL |
| V6-197X | V6-197Y | V6-197Z | 70X190 PANEL |
| V6-198X | V6-198Y | V6-198Z | 80X190 PANEL |
| V6-199X | V6-199Y | V6-199Z | 90X190 PANEL |
| V6-1910X | V6-1910Y | V6-1910Z | 100X190 PANEL |
| V6-214X | V6-214Y | V6-214Z | 40X210 PANEL |
| V6-216X | V6-216Y | V6-216Z | 60X210 PANEL |
| V6-217X | V6-217Y | V6-217Z | 70X210 PANEL |
| V6-218X | V6-218Y | V6-218Z | 80X210 PANEL |
| V6-219X | V6-219Y | V6-219Z | 90X210 PANEL |
| V6-2110X | V6-2110Y | V6-2110Z | 100X210 PANEL |



PEDESTAL FILE CABINET

| THORTO IT TOMBER MELLINING | | |
|----------------------------|--------------|-------|
| | 37.2X49.5X71 | |
| CS-1211 | 37.2X49.5X71 | BLACK |
| CS-1215 | 37.2X49.5X71 | WHITE |

PEDESTAL FILE CABINET

| CS-1212 | 37.2X49.5X71 | GRAY BLACI |
|---------|--------------|---------------|
| CS-1216 | 37.2X49.5X71 | WHITE |

PEDESTAL FILE CABINET

| IVIETAL FRUINTS | | |
|-----------------|--|------------------------|
| CS-1210 | 37.2X50X71 37.2X50X71 37.2X50X71 | GRAY BLACK WHITE |





TRANSPARENT GLASS DOOR

| V6-PTA | 90X6X210 |
|--------|----------|

HANGING METAL CABINET (OVERHEAD BIN)

MELAMINE SIDES AND FLIP-TOP DOOR WITH PNEUMATIC PISTON.

| V6-GMLM60 V6-GMLM70 V6-GMLM80 V6-GMLM90 | 60X36X38 70X36X38 80X36X38 90X36X38 |
|--|---|
| V6-GMLM100 | 100X36X38 |
| V6-GMLM120 | 120X36X38 |
| | V6-GMLM70 V6-GMLM80 V6-GMLM90 V6-GMLM100 |

HANGING CABINET (OVERHEAD BIN)

MELAMINE SIDES. UPRIGHT SLIDING DOOR WITH RAILS.

| V6-GCMR60 | 60X33X40 |
|------------|-----------|
| V6-GCMR70 | 70X33X40 |
| V6-GCMR80 | 80X33X40 |
| V6-GCMR90 | 90X33X40 |
| V6-GCMR100 | 100X33X40 |
| V6-GCMR120 | 120X33X40 |

OPEN CABINETMELAMINE ON PANEL / METAL DETAILS.

| V6-RM090 | 90X30X28 |
|----------|-----------|
| V6-RM100 | 100X30X28 |
| V6-RM120 | 120X30X28 |

FOR V60 PANELS MINORS OF 130 CM.
FOR FIXATION REQUIRES HARDWARE V6-HE500 (NOT INCLUDED)



ALUMINUM HANGING SHELF

| V6-RA0400 | 40X30 | |
|-----------|--------|--|
| V6-RA0600 | 60X30 | |
| V6-RA0700 | 70X30 | |
| V6-RA0800 | 80X30 | |
| V6-RA0900 | 90X30 | |
| V6-RA1000 | 100X30 | |
| V6-RA1200 | 120X30 | |



AIRE LEG

AIR-PL450 45X72 **MELAMINE LEG**

V6-P680 45X72



ACCESS LEG

AX-912



ACCESS LEG

AX-911

ACCESS LEG SINGLE, CURVED

AX-910



"AXIO" L-SHAPED METAL LEG. Triangular steel profile.

V6-P690D

V6-P690I

RIGHT

LEFT

HARDWARE FITTINGS.



90° Post — W/extension to recessed lighting fixture

| I LASTIO ON ALL 4 SIDE | U |
|------------------------|---------------|
| V6-EXTQ80 | 80 CM HEIGHT |
| V6-EXTQ120 | 120 CM HEIGHT |
| V6-EXTQ150 | 150 CM HEIGHT |
| V6-EXTQ200 | 200 CM HEIGHT |



120° POST FOR 2-WAY CONNECTIONS

| V6-S11 V6-S13 | 110 HEIGHT 130 HEIGHT |
|------------------|--------------------------|
| V6-S15 | 150 HEIGHT |
| V6-S17 | 170 HEIGHT |
| V6-S19 | 190 HEIGHT |
| V6-S21 | 210 HEIGHT |



120° POST — W/EXTENSION TO RECESSED CEILING LIGHT / RECESSED LIGHTING FIXTURE PLASTIC ON 3 SIDES

| V6-E | XTT80 XTT120 XTT150 | 80 CM HEIGHT 120 CM HEIGHT 150 CM HEIGHT |
|------|---------------------------|--|
| V6-E | XTT200 | 200 CM HEIGHT |
| | | |



OBJECT HOLDING RAIL

| V6-P00400 | 40 CM WIDTH |
|-----------|--------------|
| V6-P00600 | 60 CM WIDTH |
| V6-P00700 | 70 CM WIDTH |
| V6-P00800 | 80 CM WIDTH |
| V6-P00900 | 90 CM WIDTH |
| V6-P01000 | 100 CM WIDTH |
| V6-P01200 | 120 CM WIDTH |



PROFILE FOR TOP OF FRAME

FOR CLOSED OFFICE SPACES (RAIL AND SIDE COVERS INCLUDED)

| V6-RT001 | LINEAR METER |
|----------|--------------|



SINGLE BRACKET - LARGE

| RIGHT | LEFT |
|-----------|-----------|
| V6-HE100D | V6-HE100I |



HARDWARE FITTING FOR TOP OF POST

| V6-HSP001 V6-HSP002 V6-HSP003 | 1 CONNECTOR 2 CONNECTOR 3 CONNECTOR |
|-------------------------------------|---|
| V6-HSP004 | 4 CONNECTOR |



DOUBLE BRACKET - LARGE

| RIGHT | LEFT |
|-----------|-----------|
| V6-HE200D | V6-HE200I |



HARDWARE FITTING FOR TOP OF SIDE POST

V6-HSP005



SMALL BRACKET

| RIGHT | LEFT | |
|-----------|-----------|--|
| V6-HE300D | V6-HE300I | |



HARDWARE FITTING FOR PANEL TO WALL ATTACHMENT

| V6-K11 | 110 HEIGHT |
|--------|------------|
| V6-K13 | 130 HEIGHT |
| V6-K15 | 150 HEIGHT |
| V6-K17 | 170 HEIGHT |
| V6-K19 | 190 HEIGHT |
| V6-K21 | 210 HEIGHT |



RECEIVER HARDWARE FITTING

| RIGHT | LEFT |
|-----------|-----------|
| V6-HE500D | V6-HE500I |



CABLE ORGANIZER V6-HE600



90° POST FOR 1- TO 4-WAY CONNECTIONS

| V6-Q11 | 110 HEIGHT |
|--------|------------|
| V6-Q13 | 130 HEIGHT |
| V6-Q15 | 150 HEIGHT |
| V6-Q17 | 170 HEIGHT |
| V6-Q19 | 190 HEIGHT |
| V6-Q21 | 210 HEIGHT |



PANEL CONNECTOR

V6-HE700



120° POST FOR 3-WAY CONNECTIONS

| V6-T11 | 110 HEIGHT |
|--------|------------|
| V6-T13 | 130 HEIGHT |
| V6-T15 | 150 HEIGHT |
| V6-T17 | 170 HEIGHT |
| V6-T19 | 190 HEIGHT |
| V6-T21 | 210 HEIGHT |



PLATE V60



PLATE V60





THIS IS HOW YOU CAN FURNISH YOUR V60 OFFICE.





www.versa4.com



In all Concepto VERSA® products we have developed a unique blend of essential QUALITY AND DESIGN in contemporary proposals for distinct settings that invite you to discover unparalleled comfort, and combine innovative styles to create excellence.

VERSA Concepto® implements continuous improvement programs in all processes and products and reserves the right to modify measurements, design, construction details or color combinations, as well as to discontinue products without notice. We are not responsible for errors in texts, codes, photographs or color tone variations that appear in catalog and may differ from reality. We reserve the right to make changes and/or modifications to the information contained in this catalog without notice. The images shown are the closest possible to reality however, actual size may vary since in photographs proportions may seem different.

All of our products come with a **5 year warranty** against manufacturing defects and meet international quality standards such as: NOM-050-SCFI-2004 de México ANSI-BIFMA de U.S.A.

VERSA Concepto® Concepto VERSA®, its brand names, logos and slogans are registered trademarks and members of BIFMA International. Partial or total unauthorized use and/or copy is forbidden.



Versa Concepto® meets ISO 9001-2008 quality requirements.



